Application No. Applicant(s) 10/619,928 TERWILLIGER ET AL. Notice of Allowability Examiner Art Unit Samuel G. Gilbert 3736 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to <u>telephonic interview of 9/28/2005</u>. 2. The allowed claim(s) is/are 1-14,17-20 and 24-29. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _____. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date ___ (b) \square including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 5. Notice of Informal Patent Application (PTO-152) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. X Interview Summary (PTO-413). Paper No./Mail Date 7. X Examiner's Amendment/Comment 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date

of Biological Material

4. Examiner's Comment Regarding Requirement for Deposit

8. X Examiner's Statement of Reasons for Allowance

9. Other ____.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jeffrey Kurin on 9/28/2005.

The application has been amended as follows:

Claim 18 – in line 5, "and" has been deleted;

- in line 7, "." has been deleted and in its place --; and-- has been inserted; and
- following line 7, --wherein the custom end spacings of at least two of said plurality of seed strands have different lengths.—has been inserted.

Claim 24 – between line 9 and 10, --wherein the custom distal end spacings cause the treatment seeds located adjacent to distal ends of the treatment strands to be properly spaced relative to the distal end of the treatment strand;-- has been inserted; and

in line 11, "insert" has been deleted and in its place –implant—has been inserted.

Art Unit: 3736

Reasons For Allowance

The following is an examiner's statement of reasons for allowance: the prior art does not teach or fairly suggest a method of creating treatment strands wherein custom distal end spacings allow treatment strands to be implanted to the same depth and the distal most seed being properly positioned with respect to the distal end of the treatment strand.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samuel G. Gilbert whose telephone number is 571-272-4725. The examiner can normally be reached on Monday-Friday 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eleni Mantis-Mercader can be reached on 571-272-4740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/619,928 Page 4

Art Unit: 3736

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Samuel G. Gilbert Primary Examiner Art Unit 3736

sgg